



**GOVERNMENT OF THE DISTRICT OF COLUMBIA
CONSTRUCTION CODES COORDINATING BOARD**

c/o DCRA – 1100 4th Street, SW, Washington, DC 20024

CODE CHANGE PROPOSAL FORM

PAGE: 1 OF 2

CODE: IBC SECTION NO. 3001.1, 3001.2 SUBCOMMITTEE AMENDMENT NO. BC-Ev-30-6-13

PROPOSING SUBCOMMITTEE: Elevator CHAIR: Khokhar PHONE: 202 481 3386 E-mail: jatinder.khokhar@dc.gov

DATES OF PROPOSAL: 05.30.12 CCCB PRESENTATION: 06.08.12 CCCB APPROVAL: 6.25.2012

6.1.12 – Revised by the TAG

- CHECK ONE
- Revise section to read as follows:*
 - Add new section to read as follows:*
 - Delete section and substitute the following:*
 - Delete section without substitution.*

TYPE ALL TEXT IN 12-POINT TIMES NEW ROMAN FONT

~~LINE THROUGH TEXT TO BE DELETED~~ (highlight text, under *Format*, click font and check strikethrough)

UNDERLINE TEXT TO BE ADDED

Use additional sheets of the form, if necessary.

See Attached

Anticipated impact of code change on cost of construction (CHECK ONE)

- Increase*
- Decrease*
- Negligible*
- Unknown*

Per 1,000 SF single-family dwelling to
Per 1,000SF of commercial building to

JUSTIFICATION OF CHANGE:

Please reference one or more of the criteria required

- To address a critical life/safety, health, general welfare need.**
- To address a specific District of Columbia policy or statute**
- For consistency with federal, or with reference to the Metro DC area (MD, VA) codes**
- Address a unique character issue in the District of Columbia**
- Correction of errors and omissions**
- Other (explain)**



CHAPTER 30 ELEVATORS AND CONVEYING SYSTEMS

SECTION 3001 GENERAL

Delete Sections 3001.1 and 3001.2 of the International Building Code in their entirety and add new Sections 3001.1 and 3001.2 to the Building Code to read as follows:

3001.1 Scope. This chapter governs the design, construction, installation, *alteration* and repair of elevators and conveying systems, including, but not limited to, escalators, platform and stairway chair lifts, dumbwaiters, and moving walks, and their components.

3001.2 Referenced standards. Except as otherwise provided for in this code, the design, construction, installation, *alteration*, repair and maintenance of elevators and conveying systems and their components shall conform to ASME A17.1/CSA B44, ASME A18.1, ICC A117.1, ASME A90.1, ASME B20.1, ALI ALCTV, and ASCE 24 for construction in *flood hazard areas* established in Section 1612.3. Alteration, repair and maintenance of existing elevators and conveying systems shall comply with the *Existing Building Code* and with Section 606 of the *Property Maintenance Code*.

These changes are to account for the adoption of the A17.1-2010 in lieu of the A17.1-2007 1a as included in the IBC 2012 under referenced standards.

The addition of other references was to assure consistency in the code years, since A17.1 references different code years for the associated conveyance codes.

The other variations from the IBC language were approved during the last code cycle.

A17.3 was deleted because the city council has previously voted not to adopt this Code for Existing Elevators.